

Bipolar forceps

Bipolar forceps PREMIUM, bayonet



Bipolar forceps PREMIUM, bayonet

Bipolar forceps PREMIUM, bayonet



No.	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Form of tip	Length	Length of tip	Form of forceps	No.
Tip 0.2 mm, pointed 	155 mm	8 mm	straight	20195-531
	170 mm	8 mm	straight	20195-534
	230 mm	8 mm	straight	20195-543
	250 mm	8 mm	straight	20195-551
Tip 0.3 – 0.4 mm, very fine 	155 mm	8 mm	straight	20195-532
	200 mm	8 mm	straight	20195-536
	230 mm	8 mm	straight	20195-544
	250 mm	8 mm	straight	20195-552
Tip 0.5 – 0.7 mm, fine 	155 mm	8 mm	straight	20195-533
	200 mm	8 mm	straight	20195-537
	230 mm	8 mm	straight	20195-545
	230 mm	8 mm	angled upwards, 135°	20195-548
	230 mm	8 mm	angled downwards, 135°	20195-550
	250 mm	8 mm	straight	20195-553
Tip 1 mm, blunt 	170 mm	8 mm	straight	20195-535
	200 mm	8 mm	straight	20195-538
	230 mm	8 mm	straight	20195-546
Tip 1.2 mm, blunt 	200 mm	8 mm	straight	20195-539
	200 mm	8 mm	angled downwards, 135°	20195-541
	200 mm	8 mm	angled upwards, 135°	20195-542
	230 mm	8 mm	straight	20195-547
	230 mm	8 mm	angled upwards, 135°	20195-549
Tip 2 mm, blunt 	200 mm	8 mm	straight	20195-540

100 %

Bipolar connecting cables	Length	No.
Standard 	4 m 5 m	20196-045 20196-057
International (2-PIN 22 mm) 	4 m 5 m	20196-053 20196-061
Martin Standard 	4 m 5 m	20196-047 20196-059
Valleylab (2-PIN 28 mm) 	4 m	20196-055

Bipolar forceps

Bipolar forceps PREMIUM, bayonet

Bipolar forceps PREMIUM, bayonet, tip 0.2 mm, pointed, length 155 mm



No. 20195-531	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.4 mm, very fine, length 155 mm



No. 20195-532	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.7 mm, fine, length 155 mm



No. 20195-533	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.2 mm, pointed, length 170 mm



No. 20195-534	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1mm, blunt, length 170 mm



No. 20195-535	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.4 mm, very fine, length 200 mm



No. 20195-536	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.7 mm, fine, length 200 mm



No. 20195-537	
= 1	0.5 kVp
	max 95 °C
30195-120	max 138 °C

Bipolar forceps PREMIUM, bayonet

Bipolar forceps PREMIUM, bayonet, tip 1 mm, blunt, length 200 mm




No. 20195-538



0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1.2 mm, blunt, length 200 mm




No. 20195-539



0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 2 mm, blunt, length 200 mm




No. 20195-540



0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1.2 mm, blunt, length 200 mm




angled downwards

No. 20195-541



0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1.2 mm, blunt, length 200 mm




angled upwards

No. 20195-542



0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.2 mm, pointed, length 230 mm




No. 20195-543



0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.4 mm, very fine, length 230 mm




No. 20195-544



0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps

Bipolar forceps PREMIUM, bayonet

Bipolar forceps PREMIUM, bayonet, tip 0.7 mm, fine, length 230 mm



No. 20195-545



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1mm, blunt, length 230 mm



No. 20195-546



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1.2 mm, blunt, length 230 mm



No. 20195-547



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.7 mm, fine, length 230 mm



angled upwards

No. 20195-548



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1.2 mm, blunt, length 230 mm



angled upwards

No. 20195-549



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.7 mm, fine, length 230 mm



angled downwards

No. 20195-550



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet

Bipolar forceps PREMIUM, bayonet, tip 0.2 mm, pointed, length 250 mm



No. 20195-551



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.4 mm, very fine, length 250 mm



No. 20195-552



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.7 mm, fine, length 250 mm



No. 20195-553



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1mm, blunt, length 250 mm



No. 20195-554



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 1.2 mm, blunt, length 250 mm



No. 20195-555



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

Bipolar forceps PREMIUM, bayonet, tip 0.7 mm, fine, length 250 mm



No. 20195-556



= 1

0.5 kVp

max 95 °C



30195-120

max 138 °C

angled upwards