


# Bipolar forceps

## Bipolar forceps Classic, straight



## Bipolar forceps Classic, straight

### Bipolar forceps Classic, straight



No.	
= 1	0.5 kVp
	max 95 °C
30195-011	max 138 °C

Form of tip	Length	Length of tip	Form of forceps	Type of clasps	No.
Tip 0.2 mm, pointed 	105 mm	6 mm	straight	punctiform	20195-019
	105 mm	5 mm	short angled, 45°	punctiform	20195-022
	105 mm	6 mm	angled, 45°	punctiform	20195-023
	165 mm	6 mm	straight	punctiform	20195-011
	165 mm	6 mm	angled, 30°	punctiform	20195-013
	190 mm	6 mm	straight	punctiform	20195-037
Tip 0.3 – 0.4 mm, very fine 	165 mm	6 mm	angled, 30°	punctiform	20195-036
Tip 0.5 – 0.7 mm, fine 	105 mm	6 mm	straight	punctiform	20195-020
	105 mm	6 mm	angled, 45°	punctiform	20195-021
	150 mm	8 mm	straight	punctiform	20195-005
	165 mm	5 mm	short angled, 45°	punctiform	20195-066
	190 mm	5 mm	short angled, 45°	punctiform	20195-065
	225 mm	5 mm	angled, 45°	punctiform	20195-064
Tip 1 mm, blunt 	145 mm	10 mm	straight	punctiform	20195-038
	165 mm	6 mm	straight	punctiform	20195-010
	165 mm	10 mm	straight	punctiform	20195-039
	165 mm	6 mm	angled, 30°	punctiform	20195-014
	190 mm	10 mm	straight	punctiform	20195-040
	190 mm	8 mm	straight	parallel	20195-000
	190 mm	8 mm	angled, 30°	parallel	20195-001
	225 mm	10 mm	straight	punctiform	20195-041
Tip 2 mm, blunt 	145 mm	10 mm	straight	punctiform	20195-027
	165 mm	10 mm	straight	punctiform	20195-028
	190 mm	10 mm	straight	punctiform	20195-029
	190 mm	6 mm	angled, 30°	punctiform	20195-007
	225 mm	10 mm	straight	punctiform	20195-030
	260 mm	10 mm	straight	punctiform	20195-110
	300 mm	10 mm	straight	punctiform	20195-109

100 %

Bipolar connecting cables	Length	No.
Standard 	4 m	20196-045
	5 m	20196-057
International (2-PIN 22 mm) 	4 m	20196-053
	5 m	20196-061
Martin Standard 	4 m	20196-047
	5 m	20196-059
Valleylab (2-PIN 28 mm) 	4 m	20196-055

# Bipolar forceps

## Bipolar forceps Classic, straight

### Bipolar forceps Classic, straight, pointed, length 105 mm



**No. 20195-019**



= 1

0.3 kVp

max 95 °C



30195-011

max 138 °C

### Bipolar forceps Classic, straight, tip 0.5 mm, fine, length 105 mm



**No. 20195-020**



= 1

0.3 kVp

max 95 °C



30195-011

max 138 °C

### Bipolar forceps Classic, short angled, pointed, length 105 mm



**No. 20195-022**



= 1

0.3 kVp

max 95 °C



30195-011

max 138 °C

### Bipolar forceps Classic, angled, pointed, length 105 mm



**No. 20195-023**



= 1

0.3 kVp

max 95 °C



30195-011

max 138 °C

### Bipolar forceps Classic, angled, tip 0.5 mm, fine, length 105 mm



**No. 20195-021**



= 1

0.3 kVp

max 95 °C



30195-011

max 138 °C

### Bipolar forceps Classic, straight, tip 1 mm, blunt, length 145 mm



**No. 20195-038**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

### Bipolar forceps Classic, straight, tip 2 mm, blunt, length 145 mm



**No. 20195-027**



= 1

0.5 kVp

max 95 °C




30195-011

max 138 °C

## Bipolar forceps Classic, straight

Bipolar forceps Classic, straight, tip 0.7 mm, fine, length 150 mm



**No. 20195-005**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

Bipolar forceps Classic, straight, pointed, length 165 mm



**No. 20195-011**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

Bipolar forceps Classic, straight, tip 1 mm, blunt, length 165 mm



**No. 20195-010**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

Bipolar forceps Classic, straight, tip 1 mm, blunt, length 165 mm



**No. 20195-039**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

Bipolar forceps Classic, straight, tip 2 mm, blunt, length 165 mm



**No. 20195-028**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

Bipolar forceps Classic, angled, pointed, length 165 mm



**No. 20195-013**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

Bipolar forceps Classic, angled, tip 0.4 mm, very fine, length 165 mm



**No. 20195-036**



= 1

0.5 kVp

max 95 °C



30195-011

max 138 °C

# Bipolar forceps

## Bipolar forceps Classic, straight

### Bipolar forceps Classic, short angled, tip 0.7 mm, fine, length 165 mm



<b>No. 20195-066</b>	
= 1	0.5 kVp
	max 95 °C
30195-011	max 138 °C

### Bipolar forceps Classic, angled, tip 1 mm, blunt, length 165 mm



<b>No. 20195-014</b>	
= 1	0.5 kVp
	max 95 °C
30195-011	max 138 °C

### Bipolar forceps Classic, straight, pointed, length 190 mm



<b>No. 20195-037</b>	
= 1	0.5 kVp
	max 95 °C
30195-011	max 138 °C

### Bipolar forceps Classic, straight, tip 1 mm, blunt, length 190 mm



<b>No. 20195-040</b>	
= 1	0.5 kVp
	max 95 °C
30195-011	max 138 °C

### Bipolar forceps Classic, straight, tip 1 mm, blunt, length 190 mm



<b>No. 20195-000</b>	
= 1	0.5 kVp
	max 95 °C
	max 138 °C

### Bipolar forceps Classic, straight, tip 2 mm, blunt, length 190 mm



<b>No. 20195-029</b>	
= 1	0.5 kVp
	max 95 °C
30195-011	max 138 °C

### Bipolar forceps Classic, short angled, tip 0.7 mm, fine, length 190 mm



<b>No. 20195-065</b>	
= 1	0.5 kVp
	max 95 °C
30195-011	max 138 °C

## Bipolar forceps Classic, straight

Bipolar forceps Classic, angled, tip 1 mm, blunt, length 190 mm



**No. 20195-001**

= 1

0.5 kVp

max 95 °C

30195-011

max 138 °C

Bipolar forceps Classic, angled, tip 2 mm, blunt, length 190 mm



**No. 20195-007**

= 1

0.5 kVp

max 95 °C

30195-011

max 138 °C

Bipolar forceps Classic, straight, tip 1 mm, blunt, length 225 mm



**No. 20195-041**

= 1

0.5 kVp

max 95 °C

30195-011

max 138 °C

Bipolar forceps Classic, straight, tip 2 mm, blunt, length 225 mm



**No. 20195-030**

= 1

0.5 kVp

max 95 °C

30195-011

max 138 °C

Bipolar forceps Classic, short angled, tip 0.7 mm, fine, length 225 mm



**No. 20195-064**

= 1

0.5 kVp

max 95 °C

30195-011

max 138 °C

Bipolar forceps Classic, straight, tip 2 mm, blunt, length 260 mm



**No. 20195-110**

= 1

0.5 kVp

max 95 °C

30195-011

max 138 °C

Bipolar forceps Classic, straight, tip 2 mm, blunt, length 300 mm



**No. 20195-109**

= 1

0.5 kVp

max 95 °C

30195-011

max 138 °C