

ACCESSORIES FOR SUBSYSTEMS



## Important notes

The authors and ERBE Elektromedizin GmbH have taken the greatest possible care while compiling the catalogue with electrosurgical accessories. Nevertheless, it is impossible to exclude the possibility that errors may be contained herein.


The information and recommendations given here may not be construed as constituting any basis for any claims against ERBE Elektromedizin GmbH. Should legal regulations stipulate liability, such liability shall be limited to intentional misconduct or gross negligence.

The data on the use of instruments is based on clinical experience. Medical science is subject to a process of permanent change based on research and clinical experience. Therefore the products are subject to alterations in design and technique. Because of production tolerances dimensions in the catalogue may marginally differ.

We confirm that none of our products contain latex, except the rubber straps, Art. No. 20592-009 and 20592-011.

Please read carefully the corresponding notes on use before using any instrument.

## Further product information








# Electrosurgery

## Accessories for subsystems

APC pressure reducers and argon gas cylinders	04
Further APC accessories	08
IES smoke evacuation	09
EIP 2 irrigation pump	13
Fluid management system	14
Nerve test / NT 2	18
Test box	19

## Overview

Subsystems	with electrosurgical unit	Stand-alone solution
<p>APC 2</p> 	<p>VIO</p> 	<p>e.g. for laser surgery and further disciplines</p>
<p>IES 2 smoke evacuation</p> 		
<p>EIP 2 irrigation pump</p> 		
<p>Nerve test NT 2</p> 		

## APC pressure reducers and argon gas cylinders

### Country-specific gas cylinder connectors

APC 2 / APC 300			
DIN 477, Nr. 6 m	CGA Nr. 580 m	DIN 477, Nr. 10 m	BS 341, Nr. 3 m
<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>

**A** for Afghanistan, Algeria, Andorra, Argentina **B\***, Austria, Bangladesh **D\***, Belgium, Bhutan, Brazil **B\***, Brunei, Caribbean Countries, Chile **B\***, China, Croatia, Cyprus, Czech Republic, Egypt, Estonia, France, Germany, Greece, Hungary, Iceland, India **D\***, Indonesia, Iran, Ireland, Israel, Japan, Korea North, Korea South, Kuwait **D\***, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, Macedonia, Malaysia, Malta, Mauritius, Morocco, Myanmar, Namibia, Nepal **D\***, Oman **D\***, Pakistan **D\***, Peru **B\***, Philippines, Poland, Portugal, Qatar **D\***, Romania, Russia, Saudi Arabia **D\***, Singapore, Slovakia, Slovenia, South Africa, Spain, Sri Lanka **D\***, Sudan, Switzerland, Taiwan (ROC), Thailand **D\***, Tunisia, Turkey, Ukraine, United Arab Emirates **D\***, Uruguay, Vietnam **D\***, Yemen **D\***, Yugoslavia

**B** for Argentina **A\***, Bolivia, Brazil **A\***, Canada, Chile **A\***, Columbia, Dominican Republic, Ecuador, El Salvador, Guam, Guatemala, Haiti, Honduras, Italy, Mexico, New Zealand, Panama, Peru **A\***, USA, Venezuela

**C** for Denmark, Finland, Ivory Coast, Netherlands, Norway, Sweden

**D** for Australia, Bangladesh **A\***, Great Britain, India **A\***, Kuwait **A\***, Nepal **A\***, Northern Ireland, Oman **A\***, Pakistan **A\***, Qatar **A\***, Saudi Arabia **A\***, Sri Lanka **A\***, Thailand **A\***, United Arab Emirates **A\***, Vietnam **A\***, Yemen **A\***

\* further gas cylinder connectors possible

## APC pressure reducers and argon gas cylinders

### Pressure reducer with sensor for APC 2, with manual connection



gas cylinder connector to DIN 477 No. 6 m,  
W 21,8 outside, with hose 0.5 m

**No. 20134-004**

= 1

**A**

30134-008

### Pressure reducer without sensor for APC 300, with manual connection



gas cylinder connector to DIN 477 No. 6 m,  
W 21,8 outside, with hose 0.5 m

**No. 20132-052**

= 1

**A**

30132-154

### Argon gas cylinder, 5 liters, empty



gas cylinder connector to DIN 477 No. 6 m,  
dimensions: height 60 cm, Ø 14 cm,  
weight: 8.8 kg

**No. 20132-171**

= 1

**A**

### Argon gas cylinder, 5 liters, 200 bar (2800 psi) filled with 4.8 argon gas (99,998%)



gas cylinder connector to DIN 477 No. 6 m,  
dimensions: height 60 cm, Ø 14 cm,  
weight: 10.7 kg

**No. 20132-004**

= 1

**A**

30132-154

## Accessories for subsystems

### APC pressure reducers and argon gas cylinders

#### Pressure reducer with sensor for APC 2, with manual connection



gas cylinder connector to CGA No. 580 m,  
0,965" inside, with hose 0.5 m

**No. 20134-002**

= 1

30134-008

**B**

#### Pressure reducer without sensor for APC 300, with manual connection



gas cylinder connector to CGA No. 580 m,  
0,965" inside, with hose 0.5 m

**No. 20132-065**

= 1

30132-154

**B**

#### Argon gas cylinder, 5 liters, empty



gas cylinder connector to CGA No. 580 m,  
dimensions: height 60 cm, Ø 14 cm,  
weight: 8.1 kg

**No. 20132-165**

= 1

**B**

## APC pressure reducers and argon gas cylinders

### Pressure reducer with sensor for APC 2, with manual connection



gas cylinder connector to DIN 477 No. 10 m, W 24,32 outside, with hose 0.5 m

**No. 20134-001**

= 1

30134-008

**C**

### Pressure reducer without sensor for APC 300, with manual connection



gas cylinder connector to DIN 477 No. 10 m, W 24,32 outside, with hose 0.5 m

**No. 20132-074**

= 1

30132-154

**C**

### Pressure reducer with sensor for APC 2, with manual connection



gas cylinder connector to BS 341 No. 3 m, G 5/8" inside, with hose 0.5 m

**No. 20134-003**

= 1

30134-008

**D**

### Pressure reducer without sensor for APC 300, with manual connection



gas cylinder connector to BS 341 No. 3 m, G 5/8" inside, with hose 0.5 m

**No. 20132-076**

= 1


30132-154

**D**

## Accessories for subsystems


### Further APC accessories

Bacteriological filter set, APC 2, APC 300, 0.2 µm, steril



**No. 20132-059**

 = 50

 30132-275



STERILE EO

Connecting tube for central gas supply, APC 2, APC 300, length 1 m



**No. 20132-085**

 = 1

Fastening sets	No.
Fastening set, ICC 350, ICC 300, ICC 200 with APC 300 on cart	20132-061
Fastening set ICC 350, ICC 300, ICC 200 with APC 300 on console	20132-062



Filter cartridge, IES 2, IES 300, with connection Ø 22 mm



**No. 20321-000**

= 1

30321-010



Prefilter for use with smoke evacuators, with connection Ø 22 mm



**No. 20321-003**

= 15

30321-010



STERILE R

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, Ø 10 / 22 mm, International



with connecting cable 3 m, with spatula electrode and integrated smoke evacuation, shaft extension 100 mm

**No. 20321-008**

= 25

4.5 kVp

30321-001



STERILE EO

Clip-on handle for Slim-Line electrosurgical pencils, tip short 12 mm



with evacuation tubing 3 m and connection Ø 22 mm, without electrosurgical pencil

**No. 20321-007**

= 25

30321-000



STERILE EO

Clip-on handle for Slim-Line electrosurgical pencils, tip long 100 mm



with evacuation tubing 3 m and connection Ø 22 mm, without electrosurgical pencil

**No. 20321-020**

= 25

30321-000



STERILE EO

## Accessories for subsystems

### IES smoke evacuation

Suction hose, with connection Ø 22 mm, length 2.1 m



**No. 20321-012**

= 1

max 95 °C

max 132 °C

Suction hose, with connection Ø 22 mm, length 2.7 m



**No. 20321-009**

= 1

max 95 °C

max 132 °C

Evacuation tube, optimized streaming, with connection Ø 22 mm



**No. 20321-004**

= 1

max 95 °C

max 134 °C

Evacuation funnel, with connection Ø 22 mm



**No. 20321-010**

= 1

max 95 °C

max 134 °C

Hose coupling Ø 22 mm to Ø 22 mm



**No. 20321-005**

= 3

max 95 °C

max 134 °C

## Holding arm for tube with 3 joints, length 1.3 m




for fastening on bracket 20180-040

**No. 20321-014**

= 1	
30321-008	<div style="display: flex; justify-content: space-between;"> <div style="color: red;">max 95 °C</div> <div style="color: red;">max 132 °C</div> </div>


## Upper bracket for VIO CART, length 260 mm



**No. 20180-040**

= 1	

## Lower bracket for VIO CART, length 390 mm




**No. 20180-042**

= 1	

for use with secretion suction

## Bracket for IES 300, length 355 mm



**No. 20321-015**

= 1	
30321-008	

## Accessories for subsystems

### IES smoke evacuation

#### One-pedal foot switch for IES 2, AP & IP X8 equipment



with connecting cable 5 m, with connecting plug 7 poles

**No. 20322-101**

= 1

max 75 °C

30189-301



#### One-pedal foot switch for IES 300, AP & IP X8 equipment



with connecting cable 5 m, connecting plug 6 poles

**No. 20321-001**

= 1

30189-028



#### One-pedal foot switch for IES 300, IP X8 Equipment



without AP protection, with connecting cable 5 m,  
connecting plug 6 poles

**No. 20321-011**

= 1

30189-028



#### Power cord and foot switch cable

Power cord ICC / IES 300, length 0.35 m

Cable for IES 2 foot switch 20322-101



**No.**

80134-050

**51704-033**

**20322-103**

#### Fastening sets

Fastening set IES 2 to VIO Cart 20180-000

Fastening set IES 300 on ICC cart 20185-005 with ICC 350 / ICC 300 / ICC 200

Fastening set ICC 200 / ICC 300 / ICC 350 + IES 300 on cart UNIVERSAL 20185-100, 20185-101



**No.**

30140-073  
80180-000

**20180-132**

**20321-016**

**20321-019**

## EIP 2 irrigation pump

Tubing set EIP 2, for flexible endoscopes with Luer Lock connection, length 2.5 m



**No. 20325-001**

= 5

30325-001



STERILE EO

One-pedal foot switch for EIP 2, AP & IP X8 equipment



**No. 20325-000**

= 1

30189-028



Hook for irrigation liquid bag on bracket / VIO Cart



**No. 20325-002**

= 1

max 95 °C

max 134 °C

Irrigation adapters	No.
EIP 2 Adapter OLYMPUS	20325-003
EIP 2 Adapter FUJINON	20325-004
EIP 2 Adapter PENTAX	20325-005
Fastening sets	No.
Fastening set EIP 2 / ESM 2 to VIO Cart 20180-000	20180-135
Fastening set EIP 2 to Universal Cart	20185-203

## Accessories for subsystems

### Fluid management system

#### Reusable, with one suction unit



Single components	Pieces	No.
Silicone hose incl. DIN VAC plug, length 5 m	1	20340-001
Central vacuum regulator with stop valve and rotatable manometer, incl. rail bracket	1	20340-000
Silicone hose, length 600 mm	1	20340-004
Rail bracket, plastic	1	20340-002
Suction jar, 2 liters	1	20340-005
Lid for suction jar incl. mechanical overflow protection	1	20340-006
Hydrophobic single use filter	1*	20340-007
Upper bracket for VIO CART, length 260 mm	1*	20180-040
Bracket for IES 300, length 355 mm	1*	20321-015

\* optional

#### Reusable, with two suction units



Single components	Pieces	No.
Silicone hose incl. DIN VAC plug, length 5 m	1	20340-001
Central vacuum regulator with stop valve and rotatable manometer, incl. rail bracket	1	20340-000
Silicone hose, length 600 mm	1	20340-004
Reversing valve, rail bracket with two silicone hoses, length 300 mm	1	20340-003
Rail bracket, plastic	2	20340-002
Suction jar, 2 liters	2	20340-005
Lid for suction jar incl. mechanical overflow protection	2	20340-006
Hydrophobic single use filter	1*	20340-007
Lower bracket for VIO CART, length 390 mm	1	20180-042
Upper bracket for VIO CART, length 260 mm	1	20180-040

\* optional

## Fluid management system

### Central vacuum regulator with stop valve and rotatable manometer



incl. rail bracket

**No. 20340-000**

= 1



### Silicon hose incl. DIN VAC plug, length 5 m



**No. 20340-001**

= 1

max 95 °C

max 134 °C

### Silicone hose, length 600 mm



**No. 20340-004**

= 1

max 95 °C

max 134 °C

### Rail bracket, plastic



**No. 20340-002**

= 1

max 95 °C

max 134 °C

### Change-over valve, rail bracket and two silicone hoses, length 300 mm



**No. 20340-003**

= 1

max 95 °C

max 134 °C

## Accessories for subsystems

### Fluid management system

#### Suction jar, 2 liters



**No. 20340-005**

= 1

max 95 °C

max 134 °C

#### Lid for suction jar, incl. mechanical overflow protection



**No. 20340-006**

= 1

max 95 °C

max 134 °C

#### Hydrophobic single-use filter



(optional for lid of suction jar instead of mechanical overflow protection)


**No. 20340-007**

= 1





Upper bracket for VIO CART, length 260 mm




**No. 20180-040**

= 1



Lower bracket for VIO CART, length 390 mm




**No. 20180-042**

= 1



for use with secretion suction

Bracket for IES 300, length 355 mm



**No. 20321-015**

= 1

30321-008



## Accessories for subsystems

### Nerve test / NT 2

Electrosurgical pencil for nerve test with 1 button, for silver ball electrode, NT 2, ICC 350 ZMK



with connecting cable 4 m

**No. 20190-148**

= 1	0.25 kVp
	max 95 °C
30190-262	max 138 °C

Silver ball electrode for nerve test, Ø 1 mm, shaft Ø 4 mm



**No. 20191-079**

= 1	0.25 kVp
	max 95 °C
30191-724	max 134 °C

Patient plates for NT 2, without connecting cable



**No. 20142-200**

= 20	

Patient plate cable for NT 2, length 2.5 m



**No. 20142-101**

= 10	

Patient plate cable for NT 2, length 5 m



**No. 20142-100**

= 1	

Remote control (FB 2) for nerve test, ICC 350 ZMK



No. 20121-007

= 1



Bracket for remote control (FB 2), ICC 350 ZMK



No. 20128-006

= 1



Test box 3 for checking of electrosurgical accessories



No. 20183-042

= 1

80112-002

**ELECTROSURGERY**  
**VESSEL SEALING**  
**ARGON PLASMA COAGULATION**  
**CRYO SURGERY**  
**WATERJET SURGERY**

**ERBE Elektromedizin GmbH**  
**Waldhoernlestrasse 17**  
**72072 Tuebingen**  
**Germany**  
**Phone +49 7071 755-0**  
**Fax +49 7071 755-179**  
**info@erbe-med.com**  
**[www.erbe-med.com](http://www.erbe-med.com)**



**ERBE**

*Perfection for Life*